



TACTICAL CLIP-ON
NIGHT VISION SIGHT

CNVD-22



CNVD-22 is the clip-on night vision device designed to seamlessly pair with direct-view (daytime) scopes to endue them low-light observation capabilities for extended-range reconnaissance, target acquisition and engagement.

CNVD-22 offers convenience of installation and usage: with fast and easy pairing with your existing daytime scope no re-zeroing or removal of the day scope is required. Conversion from night vision to day scope mode and back is done in seconds.

CNVD-22 is a perfect tool for sniper applications and all other scenarios where stealth, speed and precision are the key factors for successful mission accomplishment.



KEY FEATURES

- ◆ Fast Coupling with Day Optics
- ◆ Zero Retention
- ◆ Works with 1X .. 12X Optics
- ◆ High Situational Awareness

MAIN APPLICATIONS

- ◆ Defence
- ◆ Security
- ◆ Special Forces
- ◆ Surveillance

GENERAL STARLIGHT COMPANY INC.

120 WHITMORE ROAD, UNIT 20, WOODBRIDGE, ONTARIO, L4L6A5, CANADA

WWW.GSCI1.COM | GSCI@GSCI1.COM | +1.905.850.0990

DISCLAIMER. Technical description, view, weight, dimensions, some optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual device and are subject to change without prior notice by the sole discretion of General Starlight Company, Inc.
Copyright © 1992-2018 General Starlight Co., Inc. Canada. All rights reserved.



TACTICAL CLIP-ON NIGHT VISION SIGHT


CNVD-22



TECHNICAL DATA

Optical Magnification	1X
Objective Lens Focal Length	80mm (Catadioptric)
Objective Lens F-number	f/1.6
Field of View (FOV)	13°
Focusing Range	10m .. Infinity
Bright Light Cut-Off	Yes
Power Source	1pc CR123
Battery Life	55 Hours
Environmental Protection	IPX6 or Better (Optional)
Dimensions	185x66x79mm
Weight	590 grams
Operating Temperature	-40°C .. +50°C
Warranty	7 Years, Limited
Export	Available for Worldwide **

IMAGE INTENSIFIER TUBES



Autogating and White Phosphor options are available with selected tubes. Contact us for more details.

PHOTONIS

† XR5 and 4G are the registered trademarks of Photonis Technologies S.A.S.

BORESIGHT CHARACTERISTICS

Accuracy	Factory aligned to 1/2 MOA or better
Retention	Permanent to within 1 MOA or better
Repeatability	Within 1/2 MOA

** Canadian Export Permit Required. GSCI provides assistance in obtaining the Permit.



TACTICAL CLIP-ON
NIGHT VISION SIGHT

CNVD-22



STANDARD EQUIPMENT: WHAT'S IN THE BOX



CNVD-22
Scope



Soft
Pouch

OPTIONAL EQUIPMENT



Hard Case
(Standard for
Gen3, XR5,
4G models)



IR Illuminator with
Picatinny mount and
remote control